

Specifications

The metal sterilizing pressure container produces superheated steam (saturated steam).

A pressure cooker with a safety-clamp locking system: 6 retaining bayonet clamps and 6 wing nuts prevent the lid's removal while the sterilizer is under pressure.

VESSEL:

- Materials: heavy cast aluminium.
- Inside container: seamless aluminium alloy
- Handle and wing nut: bakelite




Sterilization capacity	Overall external dimension	Overall internal dimension	Sterilization chamber dimension
24L	Ø 38cm Height 44cm	Ø 31.5cm Height 30cm	Basket size: Ø 28.5cm, Height 25cm
39L	Ø 48 cm Height 46cm	Ø 35.0cm Height 38cm	Basket size: Ø 35.5cm, Height 33cm

Sterilization chamber:

- The container (vessel) is equipped with 2 handles and 6 retaining bayonet clamps and wing nuts.

Scored water-level marks inside the chamber

- 1 plain basket with 2 handles.
- Aluminium inner container rack.
- LID: without seal; has a metal-to-metal seal (no rubber gaskets).

<p>XSTEAUTO39H</p> 	<p>(autoclave, 24-39l) TOP HANDLE for cover, bakelite Handle for lid Material : bakelite</p>
<p>XSTEAUTO39K</p> 	<p>(autoclave, 24-39l) WING NUT, lid closing, bakelite Wing nut The wing nuts prevent displacement of the cover while sterilizer is under pressure Material: bakelite</p>
<p>XSTEAUTO39M</p> 	<p>(autoclave, 24-39l) MANOMETER Manometer / pressure Gauge / Steam gauge Graduated graduation in kg/cm², PSI, temperature degree Fahrenheit/ Celsius, colour-coding showing sterilizing zone (green) and caution zone (red). Graduation up to 2 bars. (1bar = 15 PSI) Maximum pressure: 21 PSI / 1.5 Bar Maximum temperature: 259°F / 126°C</p>

<p>XSTEAUTO39P</p> 	<p>(autoclave, 24-39l) PLUG, OVERPRESSURE, red Over pressure plug / Manufacturer ref:1010 Shaped round part, on top Rubber plug, colour red</p>
<p>XSTEAUTO39VC</p> 	<p>(autoclave, 24-39l) VALVE CONTROL Control valve The control valve extended with the vent pipe</p>
<p>XSTEAUTO24E XSTEAUTO39E</p> 	<p>(autoclave, 24l) VENT PIPE, 2155-25 (autoclave, 39l) VENT PIPE, 2155-41 Vent pipe / air exhaust tube The flexible metal tube, goes until the vessel's bottom and enables residual air pockets to escape.</p>
<p>XSTEAUTO39VP</p> 	<p>(autoclave, 24-39l) VALVE PRESSURE Excess pressure Valve</p>

Unit Presentation:

Packaging:

1 autoclave pressure cooker complete

1 unit in a reinforced cardboard box

Dimension packed: L/W/H: 57x47x50 cm

The following must appear on the packaging:

- Designation of item
- Name and address of supplier (manufacturer)
- Instructions for use and cleaning/maintenance; diagrams for assembly/disassembly; in 3 languages (English, French and Spanish). inside the packaging

The following spare parts should be order separately as they are not included:

- Vent pipe (1)
- Wing nuts (2)
- Replacement handle (1)
- Control valve (1)
- Pressure Valve (1)
- Over-pressure plugs (2)